

HEX KEYS


Hex Keys

- L-Wrenches
- GorillaGrip® Fold Up
- T-Handles
- Screwdrivers
- Wing & Flag
- Socket Bits
- Nut Drivers Hollow Shaft
- Power Bits

BONDHUS[®]

TOOLS THAT WORK

Proudly Distributed by: **suttontools**
world class cutting tools



For the past 50 years, Bondhus has established itself within the market as the premium hex key manufacturer for both quality and innovation. The development of Protanium™ Steel, ProGuard™ Dry Surface Technology, along with continual product development such as the patented ProHold™ product proves Bondhus' leadership in the hex key market.

Bondhus excels in the market by offering not only the best quality product, but also the widest range in both handle and tip configurations. The level of confidence in the quality of all products is reinforced with a full lifetime warranty.



Protanium™ Steel is a proprietary blend of steel that provides at least 18% more torque. This provides a longer wearing steel that resists breaking and shattering.



ProGuard™ Dry Surface Technology provides 5X more protection against rust or corrosion.

Hex Keys

Hex Keys Index

- 227 **GorillaGrip® Fold Up** Sets
- 227 **GorillaGrip® Fold Up** Utility & Multi Packs
- 231 **Hex Pro** TORX® & Hex Tip
- 222 **L-Wrenches** Ball End
- 224 **L-Wrenches** Hex End
- 223 **L-Wrenches** ProHold® Tip Ball End
- 223 **L-Wrenches** Stubby Ball End
- 225 **L-Wrenches** TORX®
- 226 **L-Wrenches** TORX® & BallStar Tip
- 225 **L-Wrenches** TORX® Tamper Resistant
- 226 **Multi Packs** L-Wrenches & GorillaGrip® Fold Up
- 233 **Nut Drivers** Hollow Shaft
- 233 **Power Bits** Ball End
- 230 **Screwdrivers** Ball End
- 230 **Screwdrivers** TORX® Tamper Resistant
- 232 **Socket Bits** Hex End
- 232 **Socket Bits** TORX®
- 228 **T-Handles** Ball End
- 229 **T-Handles** Hex End
- 229 **T-Handles** ProHold® TORX®
- 228 **T-Handles** TORX®
- 231 **Wing & Flag Tool** TORX®

L-Wrenches Ball End




Ball End inserts into a screw at a 25° angle
 Ball End saves time by quickly funnelling tool into screw
 25° angle allows natural hand and wrist movement
 Superior Ball End strength and working angle
 Works in hard to reach places



Ball End Tips
 25° working angle
 for quick funnelling
 into screw



Up to 20% stronger, with
 more torque and higher wear
 resistance than standard steel



Environmentally
 safe finish for
 better corrosion
 resistance and grip

Chamfered Hex Tip
 For faster insertion and
 full tool engagement in
 the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
1.27	72	13	10	1	15749	37231157494
1.5	77	14	10	1	15750	37231157500
2.0	82	16	10	1	15752	37231157524
2.5	88	17	10	1	15754	37231157548
3.0	98	19	10	1	15756	37231157562
3.5	100	21	1	1	15758	37231157586
4.0	110	22	10	1	15760	37231157609
4.5	114	25	1	1	15762	37231157623
5.0	119	27	5	1	15764	37231157647
5.5	124	29	1	1	15766	37231157661
6.0	139	31	5	1	15768	37231157685
7.0	140	33	1	1	15770	37231157708
8.0	152	35	5	1	15772	37231157722
9.0	159	37	1	1	15774	37231157746
10.0	171	39	5	1	15776	37231157760
12.0	220	44	1	1	15780	37231157807
14.0	260	55	1	1	15784	37231157845
17.0	280	61	1	1	15786	37231157869
19.0	295	69	1	1	15788	37231157883
Metric Sets						
6Pce Set: 1.5, 2, 2.5, 3, 4, 5mm				1	10946	37231109462
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	10999	37231109998
15Pce Set: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm				1	10995	37231109950
9Pce Set (Extra Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	16099	37231160999

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
.050"	72	13	10	1	15702	37231157029
1/16"	76	14	10	1	15703	37231157036
5/64"	81	15	10	1	15704	37231157043
3/32"	86	16	10	1	15705	37231157050
7/64"	90	18	10	1	15706	37231157067
1/8"	95	19	10	1	15707	37231157074
9/64"	101	20	10	1	15708	37231157081
5/32"	107	21	10	1	15709	37231157098
3/16"	114	24	10	1	15710	37231157104
7/32"	124	26	5	1	15711	37231157111
1/4"	141	29	5	1	15712	37231157128
5/16"	152	32	5	1	15713	37231157135
3/8"	171	35	5	1	15714	37231157142
7/16"	191	38	1	1	15715	37231157159
1/2"	210	41	1	1	15716	37231157166
9/16"	229	44	1	1	15717	37231157173
5/8"	248	48	1	1	15718	37231157180
3/4"	286	54	1	1	15719	37231157197
Imperial Sets						
8Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"				1	10932	37231109325
7Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"				1	10945	37231109455
10Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	10938	37231109387
13Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	10937	37231109370
13Pce Set (Extra Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	16037	37231160371

L-Wrenches ProHold® Tip Ball End



Non-magnetic button holds screw tight on the tool every time
 Super smooth rotational action, with no interference from the Prohold® button
 Tool strength is not compromised by the Prohold® button




74992

74937



ProHold® Tips
 Holds screw tight on the tool every time



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Chamfered Hex Tip
 For faster insertion and full tool engagement in the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
1.27	72	13	5	1	75749	37231757496
1.5	77	14	5	1	75750	37231757502
2.0	82	16	5	1	75752	37231757526
2.5	88	17	5	1	75754	37231757540
3.0	98	19	5	1	75756	37231757564
4.0	110	22	5	1	75760	37231757601
5.0	119	27	2	1	75764	37231757649
6.0	139	31	2	1	75768	37231757687
8.0	152	35	2	1	75772	37231757724
10.0	171	39	2	1	75776	37231757762
Metric Sets						
7Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6mm				1	74992	37231749927
9Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	74999	37231749996

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
1/16"	76	14	5	1	75703	37231757038
5/64"	81	15	5	1	75704	37231757045
3/32"	86	16	5	1	75705	37231757052
1/8"	95	19	5	1	75707	37231757076
9/64"	101	20	5	1	75708	37231757083
5/32"	107	21	5	1	75709	37231757090
3/16"	114	24	5	1	75710	37231757106
7/32"	124	26	2	1	75711	37231757113
1/4"	141	29	2	1	75712	37231757120
5/16"	152	32	2	1	75713	37231757137
3/8"	171	35	2	1	75714	37231757144
Imperial Sets						
10Pce (Long): 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	74938	37231749385
13Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	74937	37231749378

L-Wrenches Stubby Ball End



Fits into tight spaces standard hex keys cannot. Eliminates the need to trim and file the short arm. Tighter inside radius means full smooth entry into screw head. Chamfered short arm eliminates burrs. Ball End inserts into a screw at a 25° angle



16599

16538



Ball End Tips
 25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Stubby Arm
 Fits into tight spaces where standard hex keys cannot

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
Metric Set			
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	16599	37231165994

Sizes	Min. Qty	Item #	Barcode
Imperial Set			
10Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	16538	37231165383

L-Wrenches Hex End




Chamfered tool tips eliminate burrs and help tools seat in screw head
 Sharp corners transfer more torque to the screw and reduce stripping
 Precision machined for ease of use and superior fit



12199

12137



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Chamfered Hex Tip
For faster insertion and full tool engagement in the screw head

Discount Group: Z1501


Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Long)(Tagged)						
1.5	77	14	10	1	15950	37231159504
2.0	82	16	10	1	15952	37231159528
2.5	88	17	10	1	15954	37231159542
3.0	98	19	10	1	15956	37231159566
4.0	110	22	10	1	15960	37231159603
4.5	114	25	1	1	15962	37231159627
5.0	119	27	5	1	15964	37231159641
6.0	139	21	5	1	15968	37231159689
8.0	152	35	5	1	15972	37231159726
9.0	159	27	1	1	15974	37231159740
10.0	171	39	5	1	15976	37231159764
12.0	220	44	1	1	15980	37231159801
14.0	260	55	1	1	15984	37231159849
17.0	280	61	1	1	15986	37231159863
19.0	295	69	1	1	15988	37231159887
Metric (Short)(Tagged)						
.71	31	6	10	1	15847	37231158477
.89	31	9	10	1	15848	37231158484
1.27	42	13	10	1	15849	37231158491
1.5	44	14	10	1	15850	37231158507
2.0	49	16	10	1	15852	37231158521
2.5	54	17	10	1	15854	37231158545
3.0	61	19	10	1	15856	37231158569
3.5	65	21	1	1	15858	37231158583
4.0	68	22	10	1	15860	37231158606
4.5	73	25	1	1	15862	37231158620
5.0	78	27	5	1	15864	37231158644
5.5	83	29	1	1	15866	37231158668
6.0	88	31	5	1	15868	37231158682
7.0	93	33	1	1	15870	37231158705
8.0	98	35	5	1	15872	37231158729
9.0	102	37	1	1	15874	37231158743
10.0	109	39	5	1	15876	37231158767
11.0	115	42	1	1	15878	37231158781
12.0	122	42	1	1	15880	37231158804
14.0	136	55	1	1	15884	37231158842
17.0	156	61	1	1	15886	37231158866
19.0	175	69	1	1	15888	37231158880
Metric Sets						
9Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	12199	37231121990			
6Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5mm	1	12246	37231122461			
9Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	12299	37231122997			
10Pce Wallet Set (Short): 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	1	00009	9314244000094			

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Long)(Tagged)						
.028"	66	6	10	1	15900	37231159009
.035"	68	9	10	1	15901	37231159016
.050"	72	13	10	1	15902	37231159023
1/16"	76	14	10	1	15903	37231159030
5/64"	81	15	10	1	15904	37231159047
3/32"	86	16	10	1	15905	37231159054
7/64"	90	18	10	1	15906	37231159061
1/8"	95	19	10	1	15907	37231159078
9/64"	101	20	10	1	15908	37231159085
5/32"	107	21	10	1	15909	37231159092
3/16"	114	24	10	1	15910	37231159108
7/32"	124	26	5	1	15911	37231159115
1/4"	133	29	5	1	15912	37231159122
5/16"	152	32	5	1	15913	37231159139
3/8"	171	35	5	1	15914	37231159146
7/16"	191	38	1	1	15915	37231159153
1/2"	210	41	1	1	15916	37231159160
9/16"	229	44	1	1	15917	37231159177
5/8"	248	48	1	1	15918	37231159184
3/4"	286	54	1	1	15919	37231159191
Imperial (Long)(Packaged)						
7/8"	322	60	1	1	12120*	37231121204
1"	359	67	1	1	12121*	37231121211
Imperial (Short)(Tagged)						
.028"	31	6	10	1	15800	37231158002
.035"	31	9	10	1	15801	37231158019
.050"	42	13	10	1	15802	37231158026
1/16"	45	14	10	1	15803	37231158033
5/64"	48	15	10	1	15804	37231158040
3/32"	51	16	10	1	15805	37231158057
7/64"	54	18	10	1	15806	37231158064
1/8"	58	19	10	1	15807	37231158071
9/64"	61	20	10	1	15808	37231158088
5/32"	64	21	10	1	15809	37231158095
3/16"	70	24	10	1	15810	37231158101
7/32"	77	26	5	1	15811	37231158118
1/4"	83	29	5	1	15812	37231158125
5/16"	96	32	5	1	15813	37231158132
3/8"	108	35	5	1	15814	37231158149
7/16"	121	38	1	1	15815	37231158156
1/2"	133	41	1	1	15816	37231158163
9/16"	146	44	1	1	15817	37231158170
5/8"	159	48	1	1	15818	37231158187
3/4"	184	54	1	1	15819	37231158194
Imperial Sets						
13Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	12137	37231121372			
7Pce Set (Short): 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	12245	37231122454			
13Pce Set (Short): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	12237	37231122379			
10Pce Wallet Set (Short): 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	1	00008	9314244000087			

L-Wrenches TORX®



Fits all TORX® and Star screws
 Broad contact surface provides deep lobe engagement
 Straight, vertical sidewalls increase tool engagement
 and virtually eliminates cam-out



31834



TORX® Tips
 Fits all TORX® and
 Star screws



Up to 20% stronger, with
 more torque and higher wear
 resistance than standard steel



Environmentally
 safe finish for
 better corrosion
 resistance and grip

TORX® and Star tip
 Fits all TORX® and
 Star screws

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
T9	74	16	5	1	31809	37231318093
T10	80	19	5	1	31810	37231318109
T15	84	20	5	1	31815	37231318154
T20	91	20	5	1	31820	37231318208
T25	98	22	5	1	31825	37231318253
T27	106	24	5	1	31827	37231318277
T30	116	26	5	1	31830	37231318307
T40	125	28	5	1	31840	37231318406

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode	
Set							
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40					1	31834	37231318345

L-Wrenches TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws
 Broad contact surface provides deep lobe engagement
 Straight, vertical sidewalls increase tool engagement
 and virtually eliminates cam-out



32434



Tamper Resistant TORX® Tips
 Precision machined tips
 transfer more torque
 to the screw and
 reduces stripping



Up to 20% stronger, with
 more torque and higher wear
 resistance than standard steel



Environmentally
 safe finish for
 better corrosion
 resistance and grip

**Tamper Resistant TORX®
 and Tamper Resistant
 Star tips**
 Fits all TORX® and Star
 tamper resistant screws

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
TR6	55	16	2	1	32406	37231324063
TR7	61	16	2	1	32407	37231324070
TR8	67	16	2	1	32408	37231324087
TR9	74	16	2	1	32409	37231324094
TR10	80	19	2	1	32410	37231324100
TR15	84	20	2	1	32415	37231324155
TR20	91	20	2	1	32420	37231324209
TR25	98	22	2	1	32425	37231324254

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode	
TR27	106	24	2	1	32427	37231324278	
TR30	116	26	2	1	32430	37231324308	
TR40	125	28	2	1	32440	37231324407	
Sets							
8Pce Set: TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25					1	32432	37231324322
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40					1	32434	37231324346


L-Wrenches TORX® & BallStar Tip



Fits all Star screws

Broad contact surface provides deep lobe engagement


Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out



BallStar™ Tips
20° angle for quick
funneling tool
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



TORX® and Star tip
Fits all TORX® and
Star screws



Environmentally
safe finish for
better corrosion
resistance and grip

11725

Discount Group: Z1501

Size	O/A Length	Arm Length	Pack Qty	Min. Qty	Item #	Barcode
BallStar Tip						
T25	98	22	5	1	11725	37231117252
T40	125	28	5	1	11740	37231117405

Multi Packs L-Wrenches & GorillaGrip® Fold Up



Assembled from our most popular sets

Multiple sets per package

Tip selections include Ball End, Hex End and ProHold® Tip Ball End

Ideal for mechanics and general purpose



14187



14189



14130



20499



20199



22199

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
16Pce Set: L-Wrench Ball End 1.5-10mm + Hex End GorillaGrip® (Item # 10999) + Fold Up 2-8mm (Item # 12587)	1	14187	37231141875
22Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + Hex End GorillaGrip® Fold Up 5/64-1/4" (Item # 12589)	1	14189	37231141899
34Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + 1.5-10mm + Hex End GorillaGrip® (Item # 10999) + Fold Up 5/64-5/32", 1.5-5mm (Item # 12550)	1	14130	37231141301

Sizes	Min. Qty	Item #	Barcode
22Pce Set: ProHold® L-Wrench Ball End .050-3/8" (Item # 74937) + 1.5-10mm (Item # 74999)	1	20499	37231204990
22Pce Set: L-Wrench Ball End .050-3/8" (Item # 10937) + 1.5-10mm (Item # 10999)	1	20199	37231201999
22Pce Set: L-Wrench Hex End .050-3/8" (Item # 12137) + 1.5-10mm (Item # 12199)	1	22199	37231221997

Prices exclude GST

www.suttontools.com

GorillaGrip® Fold Up Sets



Patented handle design makes every job faster and easier
Durable GorillaGrip® handle is stronger than steel handles
Tool user can adjust tool tension



12638

12897

12591

Sizes	Min. Qty	Item #	Barcode
TORX® GorillaGrip® Fold Up			
8Pce Set: T6, T7, T8, T9, T10, T15, T20, T25	1	12632	37231126322
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	1	12634	37231126346
Tamper Resistant TORX® GorillaGrip® Fold Up			
7Pce Set: TR7, TR8, TR9, TR10, TR15, TR20, TR25	1	12636	37231126360
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	1	12638	37231126384
Ball End GorillaGrip® Fold Up			
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	12894	37231128944
5Pce Set: 5, 6, 7, 8, 10mm	1	12897	37231128975



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Moulded in 90° stop converts the tool into a time saving speed wrench
Blades open up to 270° from handle. Moulded on stops then blades securely in place



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
Hex End GorillaGrip® Fold Up			
7Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6mm	1	12592	37231125929
7Pce Set: 2, 2.5, 3, 4, 5, 6, 8mm	1	12587	37231125875
6Pce Set: 3, 4, 5, 6, 8, 10mm	1	12595	37231125950
9Pces Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	1	12591	37231125912
9Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	1	12589	37231125899
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	12585	37231125851
12Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32", 1.5, 2, 2.5, 3, 4, 5mm	1	12550	37231125509

GorillaGrip® Fold Up Utility & Multi Packs



Wide selection of tool tips
World's strongest handle
Speed-Wrench feature
Tools open from both the top and bottom
Moulded-in 90° stop
Patented spacers between tools



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



12522

12544

12533

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
Utility GorillaGrip® Fold Up			
5Pce Set PH #1; Slotted 3/16"; Hex 4, 5, 6mm	1	12540	37231125400

Sizes	Min. Qty	Item #	Barcode
Multi Pack GorillaGrip® Fold Up			
16Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587)	1	12522	37231125226
15Pce Set: 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	1	12544	37231125448
24Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	1	12533	37231125332

T-Handles Ball End



Solid steel handles
Welded handle/blade connection
Ergonomic handle design
Flywheel effect saves time
Smooth, non-porous handle coating
Handle coating extends along blade



13189

13190



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Tagged)						
2.0	150	76	2	1	53252 ¹	37231532529
2.5	172	76	2	1	53254 ¹	37231532543
3.0	196	76	2	1	53256 ¹	37231532567
4.0	220	76	2	1	53160	37231531607
5.0	246	102	2	1	53164	37231531645
6.0	266	102	2	1	53168	37231531683
8.0	285	127	2	1	53172	37231531720
10.0	307	127	2	1	53176	37231531768
Metric Sets						
5Pce set: 4, 5, 6, 8, 10mm				1	13148	37231131487
8Pce set: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	13187	37231131876
8Pce set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	13189	37231131890

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Tagged)						
3/32"	154	76	2	1	53205 ¹	37231532055
7/64"	173	76	2	1	53206 ¹	37231532062
1/8"	192	76	2	1	53207 ¹	37231532079
9/64"	211	76	2	1	53208 ¹	37231532086
5/32"	231	76	2	1	53109	37231531096
3/16"	250	102	2	1	53110	37231531102
7/32"	262	102	2	1	53111	37231531119
1/4"	275	102	2	1	53112	37231531126
5/16"	289	127	2	1	53113	37231531133
3/8"	300	127	2	1	53114	37231531140
Imperial (Packaged)						
1/4"	275	102	2	1	13112	37231131128
Imperial Sets						
6Pce Set: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	13146	37231131463
10Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	13138	37231131388
10Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	13190	37231131906


T-Handles TORX®



Fits all TORX® and Star screws
Solid steel handles
Welded handle/blade connection
Ergonomic handle design
Flywheel effect saves time
Smooth, non-porous handle coating



33034



TORX® Tips
Fits all TORX® and
Star screws



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Single						
T40	199	102	2	1	33040	37231330408

Size	Min. Qty	Item #	Barcode
Set			
8Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	1	33034	37231330347

¹Hex Tip


Prices exclude GST

www.suttontools.com

T-Handles Hex End




- Solid steel handles
- Welded handle/blade connection
- Ergonomic handle design
- Flywheel effect saves time
- Smooth, non-porous handle coating
- Handle coating extends along blade



13389

13390



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Sizes Printed On Handles
For easy and quick section

Ergonomic Handle
Welded directly to blade for durable and comfortable grip

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Metric						
2.0	100	76	2	1	13352	37231133528
2.5	110	76	2	1	13354	37231133542
3.0	120	76	2	1	13356	37231133566
4.0	136	76	2	1	13360	37231133603
5.0	150	102	2	1	13364	37231133641
6.0	173	102	2	1	13368	37231133689
8.0	202	127	2	1	13372	37231133726
10.0	232	127	2	1	13376	37231133764
Metric Sets						
8Pce Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	13387	37231133870
8Pce Set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	13389	37231133894

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial						
3/32"	105	76	2	1	13305	37231133054
7/64"	112	76	2	1	13306	37231133061
1/8"	118	76	2	1	13307	37231133078
9/64"	124	76	2	1	13308	37231133085
5/32"	132	76	2	1	13309	37231133092
3/16"	141	102	2	1	13310	37231133108
7/32"	154	102	2	1	13311	37231133115
1/4"	165	102	2	1	13312	37231133122
5/16"	189	127	2	1	13313	37231133139
3/8"	211	127	2	1	13314	37231133146
Imperial Sets						
8Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				1	13332	37231133320
10Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	13390	37231133900

T-Handles ProHold® TORX®



- Fits all TORX® and Star screws
- Holds screw tight on the tool every time
- Button is non-magnetic
- Welded handle/blade connection



ProHold® Tips
Holds screw tight on the tool every time



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Sizes Printed On Handles
For easy and quick section

Ergonomic Handle
Welded directly to blade for durable and comfortable grip

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
TR9	155	76	2	1	74009	37231740092
TR10	161	76	2	1	74010	37231740108
TR15	168	76	2	1	74015	37231740153
TR20	174	76	2	1	74020	37231740207

Discount Group: Z1501

Size	O/A Length	Handle Length	Pack Qty	Min. Qty	Item #	Barcode
TR25	180	76	2	1	74025	37231740252
TR27	187	102	2	1	74027	37231740276
TR30	193	102	2	1	74030	37231740306

Screwdrivers Ball End



Ball End inserts into screw at a 25° angle
Ergonomic non-slip grip handle design
Two component handle with tough inner core and cushioned rubber exterior
Anti-roll design



10699



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip
Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

Discount Group: Z1501

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
Metric (Long)(Packaged)						
2.0	157	102	2	1	10752	37231107529
2.5	171	110	2	1	10754	37231107543
3.0	247	158	2	1	10756	37231107567
4.0	288	179	2	1	10760	37231107604
5.0	308	198	2	1	10764	37231107642
6.0	341	218	2	1	10768	37231107680
8.0	360	237	2	1	10772	37231107727
10.0	382	259	2	1	10776	37231107765
Metric (Standard)(Tagged)						
1.5	120	66	2	1	40650	37231406509
2.0	127	72	2	1	40652	37231406523
2.5	130	69	2	1	40654	37231406547
3.0	171	83	2	1	40656	37231406561
4.0	205	98	2	1	40660	37231406608
5.0	219	109	2	1	40664	37231406646
6.0	260	137	2	1	40668	37231406684
8.0	298	175	2	1	40672	37231406721
10.0	307	184	2	1	40676	37231406769
Metric Sets						
6Pce Set: 1.5, 2, 2.5, 3, 4, 5mm				1	10686	37231106867
9Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	10699	37231106997
8Pce Set (Long): 2, 2.5, 3, 4, 5, 6, 8, 10mm				1	10733	37231107338

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
Imperial (Standard)(Packaged)						
7/32"	230	107	2	1	10611	37231106119
1/4"	249	126	2	1	10612	37231106126
5/16"	265	142	2	1	10613	37231106133
3/8"	287	164	2	1	10614	37231106140
Imperial (Standard)(Tagged)						
.050"	104	60	2	1	40602	37231406028
1/16"	118	64	2	1	40603	37231406035
5/64"	122	67	2	1	40604	37231406042
3/32"	132	71	2	1	40605	37231406059
7/64"	136	74	2	1	40606	37231406066
1/8"	168	80	2	1	40607	37231406073
9/64"	171	83	2	1	40608	37231406080
5/32"	201	91	2	1	40609	37231406097
3/16"	204	94	2	1	40610	37231406103
7/32"	230	107	2	1	40611	37231406110
1/4"	249	126	2	1	40612	37231406127
5/16"	265	142	2	1	40613	37231406134
3/8"	287	164	2	1	40614	37231406141
Imperial Set						
13Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				1	10637	37231106379

Screwdrivers TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws
Burr free tool tips help tools seat fully in screw head
Precision machined tips transfer more torque to the screw and reduces stripping



Tamper Resistant TORX® Tips
Precision machined tips transfer more torque to the screw and reduces stripping



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip
Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

Discount Group: Z1501

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
TR6	163	108	1	1	33806	37231338060
TR7	169	114	1	1	33807	37231338077
TR8	182	121	1	1	33808	37231338084
TR9	186	124	1	1	33809	37231338091
TR10	189	128	1	1	33810	37231338107
TR15	219	131	1	1	33815	37231338152
TR20	248	138	1	1	33820	37231338206
TR25	253	144	1	1	33825	37231338251
TR27	270	147	1	1	33827	37231338275

Size	O/A Length	Shank Length	Pack Qty	Min. Qty	Item #	Barcode
TR30	276	153	1	1	33830	37231338305
TR40	282	159	1	1	33840	37231338404
Sets						
8Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40				1	33834	37231338343
8Pce Set: TR6, TR7, TR8, TR9, TR10, TR15, TR20, TR25				1	33832	37231338329

Wing & Flag Tool TORX®




Fits all TORX® and TORX PLUS® screws
 Fits all Star and Star Plus screws
 ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip
 Broad contact surface provides deep lobe engagement
 Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out



34445

Sizes	Min. Qty	Item #	Barcode
7Pce TORX® Flag Tools Set: T6, T7, T8, T9, T10, T15, T20	1	34445	37231344450



Multi-Fit
 Fits all TORX® and TORX Plus®, Star and Star Plus screws



Soft rubber outer coating for maximum comfort and grip



34745

Sizes	Min. Qty	Item #	Barcode
7Pce TORX® Wing Tools Set: T6, T7, T8, T9, T10, T15, T20	1	34745	37231347451

Discount Group: Z1501

Hex Pro TORX® & Hex Tip



Fits Inch and Metric Hex, TORX®, and Star screws
 Heat treated high quality industrial tool steel
 Long handles for extra reach
 Matte chrome finish to prevent corrosion



00055


00040

00051

Size	Min. Qty	Item #	Barcode
Hex Tip			
Metric			
4.0	1	88760	855782887604
5.0	1	88764	855782887642
6.0	1	88768	855782887680
8.0	1	88772	855782887727
10.0	1	88776	855782887765
Imperial			
3/16"	1	88710	855782887109
7/32"	1	88711	855782887116
1/4"	1	88712	855782887123
5/16"	1	88713	855782887130
3/8"	1	88714	855782887147

Pivot Head
 Hex and Star wrenches allow users to pivot around obstacles without removing tool

Engineered Joints
 Joint are made as small as possible without weakening the tool



Patented Forged Hinge Design
 Simple, effective with fewer pieces design make Pivot Head Hex and Star wrenches stronger than competitors

Size	Min. Qty	Item #	Barcode
Torx Tip			
T25	1	88725	855782887253
T30	1	88730	855782887307
T40	1	88740	855782887406
T45	1	88745	855782887451
T50	1	88750	855782887505
Sets			
5Pce Set: T25, T30, T40, T45, T50	1	00055	855782000553
5Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	1	00040	855782000409
5Pce Set: 4, 5, 6, 8, 10mm	1	00051	855782000515

Discount Group: Z1501

Socket Bits Hex End




Bits fit any standard six point socket
 Bits are suitable for use with impact sockets
 Chamfered tool tips eliminate burrs and help tools seat in screw head

Sharp corners transfer more torque to the screw and reduce stripping
 Precision machined for ease of use and superior fit



23229



Hex End Tips
 Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Sizes	Drive	Min. Qty	Item #	Barcode
Single				
Sockets & Bits 19mm Prohold Hex Bit 6" Inch 1/2" SKT-1/ea	1/2	1	43688*	37231436889
Metric Sets				
Bits only 6Pce Set: 4, 5, 6, 7, 8, 10mm	-	1	23246*	37231232467
Bits only 9Pce Set: 4, 5, 6, 7, 8, 10, 12, 14, 17mm	-	1	23298*	37231232986
Bits only 9Pce Set: 5, 6, 7, 8, 10, 12, 14, 17, 19mm	-	1	23296*	37231232962

Sizes	Drive	Min. Qty	Item #	Barcode
Sockets & Bits 9Pce Set: 4, 5, 6, 7, 8, 10, 12, 14, 17mm	3/8 1/2	1	30298*	37231302986
Imperial Sets				
Sockets & Bits 9Pce Set: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	3/8 1/2	1	23299*	37231232993
Bits Only 5Pce Set: 5/16, 3/8, 1/2, 9/16, 5/8"	-	1	30645*	37231306458
Sockets & Bits 9Pce Set: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8"	1/2	1	30299*	37231302993

Socket Bits TORX®




Fits all TORX® and Star screws
 Bits fit any standard six point socket
 Bits are suitable for use with impact sockets

Burr free tool tips help tools seat fully in screw head
 Precision machined tips transfer more torque to the screw and reduces stripping



22437



Multi-Fit
 Fits all TORX® and Star screws



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Sizes	Drive	Min. Qty	Item #	Barcode
Bits Only 9Pce Set: T8, T9, T10, T15, T20, T25, T27, T30, T40	-	1	22491*	37231224912
Torx & Hex Bits Only 7Pce TORX® & Metric Set: T45, T50, T55 & 12, 14, 17, 19mm	-	1	23290*	37231232900

Sizes	Drive	Min. Qty	Item #	Barcode
Bits Only 13Pce Set: T8, T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60	-	1	22437*	37231224370

*Not available once current stock is depleted

Prices exclude GST

www.suttontools.com

Nut Drivers Hollow Shaft



Hexagonal upper shaft for use with a wrench for increased torque
Ergonomic handle design
Non-slip grip
Anti-roll handle
High strength chrome plated shaft



48492

48496



48445



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

Discount Group: Z1501

Sizes	Min. Qty	Item #	Barcode
7Pce Metric Set: 6, 7, 8, 9, 10, 11, 12mm	1	48492*	37231484927
7Pce Imperial Set: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"	1	48445*	37231484453

Power Bits Ball End



Fits all 1/4" drive bit holders
Ball End inserts into a screw at a 25° angle
Ball End saves time by quickly funnelling tool into screw
Superior Ball End strength and working angle
Works in hard to reach places



10868


1/4" Hex Shank
Suitable for impact drivers



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



Ball End Tips
25° working angle for quick funnelling into screw

Discount Group: Z1501

Sizes	O/A Length	Min. Qty	Item #	Barcode
2.0	76mm	1	10852	37231108526
2.5	76mm	1	10854	37231108540
3.0	76mm	1	10856	37231108564
4.0	76mm	1	10860	37231108601
5.0	76mm	1	10864	37231108649
6.0	76mm	1	10868	37231108687

Sizes	O/A Length	Min. Qty	Item #	Barcode
8.0	76mm	1	10872	37231108724
10.0	76mm	1	10876	37231108762
12.0	76mm	1	10880	37231108809

*Not available once current stock is depleted

www.suttontools.com

Prices exclude GST

