

## Screwdrivers

- Screwdriver Bits
- Screwdrivers
- Carded
- Bulk
- Sets

# SCREWDRIVERS

# suttontools

# ULTRABIT

12X LIFE

MADE IN GERMANY

Scan to watch video

## UltraBit Screwdriver Range

**Sutton Tools UltraBits, with impact torsion neck, designed to withstand high torque impact applications.**

### Features

- Shock Absorber Zone – Impact torsion neck, designed to withstand high torque screwing, lasting 12x longer than standard bits.
- Anti-Breakage – Reinforced joints for a stronger link avoiding breakages.
- Ring Reinforcement – Reinforced screw head ring for longer impact resistance.

### Impact

Impact Bits – specifically developed for use with the high-torque output of an impact driver. Look out for the "Impact" logo on the packaging.

### Magnetic

All bits are magnetic eliminating frustration and increasing productivity when working at awkward angles or in tight spaces.

### Torsion

Shock Absorber Zone – Impact torsion neck, designed to withstand high torque screwing.

### Precision Fit

Precise Fit – Avoids slipping and stripping screw heads.

Available in:

Phillips Square Torx Hex

# Screwdriver

## **Screwdriver Bits** Index


88 **Screwdriver Bits** ACR®
102 **Screwdriver Bits** Dry Wall Extension
93 **Screwdriver Bits** Magnetic Bit Holder
102 **Screwdriver Bits** Magnetic Screw Guide
87 **Screwdriver Bits** Phillips®
89 **Screwdriver Bits** Pozidriv®
100 **Screwdriver Bits** Sets
90 **Screwdriver Bits** Slotted
93 **Screwdriver Bits** Socket Adaptor
96 **Screwdriver Bits** Supabit, Hex
99 **Screwdriver Bits** Supabit, Magnetic Nutsetter
97 **Screwdriver Bits** Supabit, Square Recess
99 **Screwdriver Bits** Supabit, Torsion Nutsetter
95 **Screwdriver Bits** Supabit, Torsion - Phillips®
98 **Screwdriver Bits** Supabit, Torx®
86 **Screwdriver Bits** Technical Information
91 **Screwdriver Bits** Torx®
91 **Screwdriver Bits** Torx® Tamper Resistant
92 **Screwdriver Bits** Tri-Wing®
94 **Screwdriver Bits** UltraBit


## BONDHUS® **Bondhus Screwdrivers** Index


107 **Screwdrivers** Series 2000 ComfortGrip™ Flexible Shaft Nutdriver
104 **Screwdrivers** Series 2000 ComfortGrip™ Phillips
104 **Screwdrivers** Series 2000 ComfortGrip™ Phillips with Hex Bolster
105 **Screwdrivers** Series 2000 ComfortGrip™ Slotted - Electrician Tip
105 **Screwdrivers** Series 2000 ComfortGrip™ Slotted - Engineer's Tip
106 **Screwdrivers** Series 2000 ComfortGrip™ Square
107 **Screwdrivers** Series 2000 ComfortGrip™ Stubby
106 **Screwdrivers** Series 2000 ComfortGrip™ Torx®
108 **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Phillips
109 **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Pozidriv
108 **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Slotted
109 **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Terminal
110 **Screwdrivers** Series 2000 VDE Insulated Voltage Tester
110 **Screwdrivers** Series 2000 VDE Insulated Voltage Tester
111 **Screwdrivers Sets** Series 2000 ComfortGrip™
111 **Screwdrivers Sets** Series 2000 VDE Insulated ComfortGrip™
112 **Screwdrivers Sets** Series 4000 PrecisionGrip™

# **Screwdriver Bits** Technical Information

| | | | | | | |
|---|---|---|---|---|---|---|
| **Flat** | **Oval** | **Round** | **Button** | **Truss** | **Pan** | **Socket** |
| Installs flush with metal surfaces or countersinks with softer materials for clean appearance. | Used where countersink installation is desired. Rounded head offers deep recess & is visible just above the surface. | Widely used for general purposes. Features a high crown with a deep recess & smaller diameter head than our Truss or Pan Head designs. | Used for general purposes with a lower crown & shallower recess than our Round Head design. | Low profile offers added security against vice-grips removal. Large diameter head for increased fastening strength. | Features a low profile, large diameter head with a high-edged crown for increased strength. | Features a cylindrical head profile allowing for a deeper recess. This style of head is common amongst TORX® and Hex drive systems. |

## Types of Screw Threads



These types have a locating point with either an A or B thread forming screw thread.



Ideal for applications where no pilot holes are required due to a type AB thread with a self drilling point.



Available in both imperial or metric threads, these screws offer a straight sheared point.

## Frequently Asked Questions

**Are your screwdriver bits milled or forged?**

Our bits are forged for many reasons such as life & performance. This manufacturing process enables our screwdriver bits to have superior performance characteristics against milled equivalents.

**What is the difference between an insert bit and a power bit?**

The insert bits are commonly used with a magnetic bit holder in a power tool. This combination is economical, provides flexibility and allows a fastener to be magnetically held by the bit. The power bits are placed directly into the drill chuck.

**What is ISO-Temp™?**

ISO-TEMP™ has been developed to combine both the low wear advantages of extra hard bits and the high elasticity of medium hard bits. This means that ISO-TEMP™ bits ideally suit screw driving in hard materials where high torque peaks need to be counteracted.

**Where do I use reduced diameter bits?**

In applications for driving screws below the surface of a drywall.

**Painted, coated and corroded fasteners provide excessive cam-out, what should I do?**

ACR® bits, with their extra grip, are a good solution. ACR® bits are available in both insert and power drives.

**How do I identify between Phillips® and Pozidriv® bits?**

The shallow 'cross' indentations in the screw head identify a Pozidriv® fastener. The Pozidriv® bit and recess design provides more surface contact between the bit and the screw head than a standard Phillips®. Therefore, the Pozidriv® allows you to apply more torque, reduce the possibility of cam-out. Another way to distinguish the difference is that a Pozidriv® bit can drive a Phillips® screw (but not recommended), whilst a Phillips® bit will struggle to drive a Pozidriv® screw.

**Registered Trademarks:**

ACR, PHILLIPS, POZIDRIV, TORQ-SET and TRI-WING are registered trademarks of the Phillips Screw Company.

TORX and TORX-ALIGN are registered trademarks of Camcar Division of Textron.

## Usage By Industry

| | Automotive | Aviation | Appliance | Furniture | Construction / Decking | Public Transport | Electronics | Rec/Hobby | Marine | Security | Drywall / Subfloor | Machine Tools / Metal |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Phillips® | • | • | • | • | • | • | • | • | • | | • | |
| Slotted | • | • | • | • | • | • | • | • | • | | | |
| Torx® | • | | • | | | | • | | | | | |
| Tamper Resistant | • | | • | | | • | • | | | • | | |
| Torq-Set® | | • | | | | | | | | • | | |
| Tri-Wing® | | • | | | | | | | | • | | |
| Pozidriv® | • | • | • | • | • | • | • | • | • | | • | |
| Square | | | • | • | | | | | | • | | |
| Frearson | | | | | | | | • | | | | |
| Torx-Align® | • | | • | | | • | | | | | | |
| Hex | • | | | | | | | | | | | • |

MAGNETIC

3X TORQUE

# suttontools

Phillips is the most widely used drive system in the world. The design absorbs torque peak reducing slippage and breakage.



**Shank**
1/4" hex for use in power tools and quick change adapters

**Chrome Vanadium**
Tough grade high alloy steel absorbs shock and offers superior performance

**Insert**
1/4" hex for use in bit holders and hand drivers



**Application**
- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | | Length | Pieces | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|---|---|
| **1/4" Insert** | | | | | **S105** | | **S104** |
| **PH1** | | 25 | | S105 0125 | 9311963031798 | S104 0125 | 9311963004198 |
| **PH2** | | 25 | | S105 0225 | 9311963031804 | S104 0225 | 9311963005010 |
| **PH3** | | 25 | | S105 0325 | 9311963031811 | S104 0325 | 9311963007830 |
| **Reduced 1/4" Insert** | | | | | | | |
| **PH 2R*** | | 25 | | S105 0225R | 9311963031866 | | |
| **1/4" Power – With Full Rounded Body** | | | | | | | |
| **PH1** | | 50 | | S105 0150 | 9311963035284 | S104 0150 | 9311963072746 |
| **PH1** | | 100 | | S105 01100 | 9311963038759 | | |
| **PH1** | | 150 | | S105 01150 | 9311963050218 | | |
| **PH2** | | 50 | | S105 0250 | 9311963035291 | S104 0250 | 9311963072753 |
| **PH2** | | 70 | | S105 0270 | 9311963035321 | S104 2265 | 9311963570464 |
| **PH2** | | 90 | | S105 0290 | 9311963035345 | S104 0290 | 9311963106717 |
| **PH2** | | 100 | | S105 02100 | 9311963039374 | S104 22100 | 9311963570471 |
| **PH2** | | 150 | | S105 02150 | 9311963050027 | S104 02150 | 9311963179391 |
| **PH3** | | 50 | | S105 0350 | 9311963035307 | S104 0350 | 9311963072760 |
| **PH3** | | 90 | | S105 0390 | 9311963035352 | | |
| **1/4" Power – With Full Hex Body** | | | | | | | |
| **PH2** | | 65 | | | | S104 0265 | 9311963570440 |
| **Double Ended** | | | | | **S125** | | **S122** |
| **PH2** | **PH2** | 45 | | S125 0245 | 9311963049892 | S122 0245 | 9311963106724 |
| **PH2** | **PH2** | 65 | | S125 0260 | 9311963049885 | S122 0265 | 9311963179377 |
| **Double Ended – With Full Hex Body** | | | | | **S123** | | **S104** |
| **PH2** | **PH2** | 100 | | | | S104 12100 | 9311963570457 |
| **PH2** | **PH2** | 110 | | S123 02110 | 9311963050768 | | |
| **PH2** | **PH2** | 150 | | S123 02150 | 9311963050911 | | |
| **Double Ended - Impact** | | | | | | | **S105** |
| **PH2** | **PH2** | 50 | 10 | | | S105 1250 | 9311963570334 |
| **PH2** | **PH2** | 75 | 6 | | | S105 1275 | 9311963570341 |
| **PH2** | **PH2** | 100 | 6 | | | S105 12100 | 9311963570358 |

IMPACT

**Double Ended**

**Reduced Head**
Ideal for use in restricted areas

**Double Ended Full Hex Body**

*Carded pack contains 2 bits.

MAGNETIC

3X TORQUE

# suttontools

**ACR®**
Designed to offer extra grip for removal of stubborn or damaged screw recesses.



**ACR® Tip**
Provides a positive grip on screw recess

**Full Hex Body**
Provides extra strength and durability

**Shank**
1/4" hex for use in power tools and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Application**
- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Barcode |
|---|---|---|---|
| **Phillips® 1/4" Insert** | | **S109** | |
| **PH2** | 25 | S109 0225 | 9311963050256 |
| | | | |
| **Phillips® 1/4" Power – With Full Hex Body** | | | |
| **PH2** | 50 | S109 0250 | 9311963050010 |
| | | | |
| | | | |
| | | | |
| | | | |

MAGNETIC

3X TORQUE

# suttontools

The self-centring Pozidriv system provides excellent driving control with less operator fatigue.



**Chrome Vanadium**
Tough grade high alloy steel absorbs shock and offers superior performance

**Shank**
1/4" hex for use in power tools and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Recess Design**
Providing better mating with the driver, greater driving, surface and minimal metal "fall away"

**Application**

- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|
| **1/4" Insert** | | | **S103** | | **S102** |
| **PZ1*** | 25 | S103 0125 | 9311963031873 | S102 0125 | 9311963009032 |
| **PZ2*** | 25 | S103 0225 | 9311963032030 | S102 0225 | 9311963009544 |
| **PZ3** | 25 | S103 0325 | 9311963032078 | | |
| | | | | | |
| **1/4" Power – With Full Rounded Body** | | | | | |
| **PZ1** | 50 | S103 0150 | 9311963035628 | S102 0150 | 9311963072777 |
| **PZ1** | 75 | S103 0175 | 9311963039749 | | |
| **PZ1** | 150 | S103 01150 | 9311963037066 | | |
| **PZ2** | 50 | S103 0250 | 9311963035635 | S102 0250 | 9311963072784 |
| **PZ2** | 75 | S103 0275 | 9311963039756 | | |
| **PZ2** | 150 | S103 02150 | 9311963037073 | | |
| **PZ3** | 50 | S103 0350 | 9311963036205 | S102 0350 | 9311963072791 |
| **PZ3** | 75 | S103 0375 | 9311963039763 | | |
| **PZ3** | 150 | S103 03150 | 9311963037080 | | |
| | | | | | |
| **Double Ended** | | | | | |
| **PZ2*** **PZ2** | 45 | S103 0245 | 9311963570495 | S102 0245 | 9311963570488 |
| **PZ2*** **PZ2** | 65 | S103 0265 | 9311963570518 | S102 0265 | 9311963570501 |
| | | | **S121** | | **S120** |
| **PZ2** **PZ2** | 60 | S121 0260 | 9311963050478 | S120 0260 | 9311963179384 |

***Carded pack contains 2 bits.**

MAGNETIC

3X TORQUE

# suttontools

The most popular driving system for general use. For positive drive, the screwdriver tip must be turned 90 degree to align itself with the recess.





**Chrome Vanadium**
Tough grade high alloy steel absorbs shock and offers superior performance

**Shank**
1/4" hex for use in power tools and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Application**

- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|
| **1/4" Insert** | | | **S101** | | **S100** |
| **5-6*** | 25 | S101 5625 | 9311963049373 | S100 5625 | 9311963005164 |
| **6-8*** | 25 | S101 6825 | 9311963049380 | S100 6825 | 9311963005508 |
| | | | | | |
| **1/4" Power – With Full Rounded Body** | | | | | |
| **2-3** | 50 | | | S100 2350 | 9311963072715 |
| **5-6** | 50 | S101 5650 | 9311963037134 | S100 5650 | 9311963072722 |
| **6-8** | 50 | S101 6850 | 9311963037141 | | |
| **8-10** | 50 | S101 81050 | 9311963037158 | S100 81050 | 9311963072739 |
| | | | | | |
| **1/4" Power – With Full Hex Body** | | | | | |
| **4** | 50 | | | S100 4550 | 9311963570389 |
| **6** | 50 | | | S100 6850 | 9311963570396 |
| | | | | | |
| **Double Ended Slotted – Phillips** | | | **S127** | | |
| **6-8 PH2** | 40 | S127 68240 | 9311963049229 | | |

***Carded pack contains 2 bits.**

# Screwdriver Bits Torx®

MAGNETIC

3X TORQUE

**suttontools**

The system provides NO CAM-OUTS because of the straight, vertical side walls in the design of the recessed screw head. Also provides a greater depth of engagement between the driver and the fastener due to the 6 lobes.



**Insert**
1/4" hex for use in bit holders and hand drivers

**Torx® Tip**
Popular in automotive and appliance assembly

**Application**
- DIY
- Trade
- Appliances
- Automotive

**Discount Group: Z0702**

| Size | Length | Order Qty | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|---|
| **1/4" Insert – Bulk** | | | | **S111** | | **S110** |
| **T10*** | 25 | 10 | S111 1025 | 9311963041902 | S110 1025 | 9311963570402 |
| **T15*** | 25 | 10 | S111 1525 | 9311963041919 | S110 1530 | 9311963570419 |
| **T20** | 25 | 10 | S111 2025 | 9311963041926 | | |
| **T25*** | 25 | 10 | S111 2525 | 9311963041933 | S110 2530 | 9311963570426 |
| **T27*** | 25 | 10 | S111 2725 | 9311963041940 | S110 2730 | 9311963570433 |
| **T30** | 25 | 10 | S111 3025 | 9311963041957 | | |

# Screwdriver Bits Torx® Tamper Resistant

MAGNETIC

3X TORQUE

**suttontools**

Tamper resistant bits for the installation and removal of security fasteners.

**Insert**
1/4" hex for use in bit holders and hand drivers

**Torx® Tamper Resistant Tip**
Popular in security protection applications

**Application**
- DIY
- Trade
- Appliances
- Automotive
- Security

**Discount Group: Z0702**

| Size | Length | Order Qty | Item # | Barcode |
|---|---|---|---|---|
| **1/4" Insert – Bulk** | | | | **S113** |
| **T10H** | 25 | 10 | S113 1025 | 9311963044484 |
| **T15H** | 25 | 10 | S113 1525 | 9311963045085 |
| **T20H** | 25 | 10 | S113 2025 | 9311963045108 |
| **T25H** | 25 | 10 | S113 2525 | 9311963045283 |
| **T27H** | 25 | 10 | S113 2725 | 9311963045405 |
| **T30H** | 25 | 10 | S113 3025 | 9311963046648 |

***Carded pack contains 2 bits.**

MAGNETIC

3X TORQUE

# suttontools

Tamper resistant bits for the installation and removal of security fasteners.




**Application (Tri Wing)**

Application
Aviation
Electrical/ Electronics
Security

**Discount Group: Z0702**

| Size | Length | Order Qty | Item # | Barcode |
|---|---|---|---|---|
| **1/4" Insert – Bulk** | | | | **S117** |
| **3mm** | 25 | 10 | S117 0325 | 9311963041667 |
| **4mm** | 25 | 10 | S117 0425 | 9311963041698 |
| **5mm** | 25 | 10 | S117 0525 | 9311963041742 |

# Screwdriver Bits Socket Adaptor

MAGNETIC

suttontools

For use with a power socket. Ideal for when high torque loads are required.



**Pin Lock**
For secure attachment of socket

**Shank**
1/4" hex for use in power tools and quick change adapters

**Application**
- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|
| **1/4" Power Bit** | | | **S137** | | **S136** |
| **1/4** | 50 | S137 0650 | 9311963039916 | S136 0650 | 9311963439013 |

# Screwdriver Bits Magnetic Bit Holder

MAGNETIC

suttontools

Help you change bits faster for greater productivity.



**Opening**
Designed for use with insert bits

**C-Ring**
Internal clip fits into the retaining notch of insert bits to hold the bit securely in place

**Rare Earth Magnet**
4 times stronger than standard magnets

**Shank**
1/4" hex for use in power tools and quick change adapters

**Application**
- DIY
- Trade
- Industrial Application
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|
| **1/4" Power Drive with C-Ring – Magnetic** | | | **S129** | | **S128** |
| **1/4** | 55 | S129 0650 | 9311963049663 | | |
| **1/4** | 75 | S129 0675 | 9311963037233 | S128 0675 | 9311963005171 |
| | | | | | |

NEW

IMPACT MAGNETIC TORSION

MADE IN GERMANY

# suttontools ULTRABIT

Sutton Tools UltraBits, with impact torsion neck, designed to withstand high torque impact applications.




**Shock Absorber Zone**
Impact torsion neck, designed to withstand high torque screwing, lasting 12x longer than standard bits.

12X LIFE

**Ring Reinforcement**
Reinforced screw head ring for longer impact resistance.

**Shank**
1/4" hex for use in power tools and quick change adapters

**Precise Fit**
Avoids slipping and stripping screw heads.

**Anti-Breakage**
Reinforced joints for a stronger link avoiding breakages.

Scan to watch video

**Application**
- DIY
- Professional
- Automotive
- Electrical
- Plumbing
- Carpentry
- Plastering

**Discount Group: Z0702**

| Description | Length | Pieces | Item # | Barcode |
|---|---|---|---|---|
| | | | | **S160** |
| **Phillips PH2** | 50 | 2 | S160 0250 | 9311963618678 |
| | | | | **S161** |
| **Phillips PH2** | 50 | 5 | S161 0250 | 9311963618685 |
| | | | | **S162** |
| **Phillips PH2** | 50 | 10 | S162 0250 | 9311963618692 |
| | | | | **S163** |
| **Hex H5** | 50 | 2 | S163 0550 | 9311963618708 |
| | | | | **S164** |
| **Hex H5** | 50 | 5 | S164 0550 | 9311963618715 |
| | | | | **S165** |
| **Hex H5** | 50 | 10 | S165 0550 | 9311963618722 |
| | | | | **S166** |
| **Square R2** | 50 | 2 | S166 0250 | 9311963618739 |
| | | | | **S167** |
| **Square R2** | 50 | 5 | S167 0250 | 9311963618746 |
| | | | | **S168** |
| **Square R2** | 50 | 10 | S168 0250 | 9311963618753 |
| | | | | **S169** |
| **Torx T10** | 50 | 2 | S169 1050 | 9311963618760 |
| **Torx T15** | 50 | 2 | S169 1550 | 9311963618777 |
| **Torx T20** | 50 | 2 | S169 2050 | 9311963618784 |
| **Torx T25** | 50 | 2 | S169 2550 | 9311963618791 |
| **Torx T30** | 50 | 2 | S169 3050 | 9311963618807 |
| **Torx T40** | 50 | 2 | S169 4050 | 9311963618814 |

S160 0250

S163 0550

S166 0250

S169 1050

S161 0250

S162 0250



Prices exclude GST

IMPACT MAGNETIC TORSION 3X TORQUE

suttontools SUPABIT EXTREME IMPACT

**Torsion Bits**
Specifically suited to withstand high torque applications.
The elastic property of these bits deliver professional performance that stands up to rigorous use.

**Torsion Neck**
Designed to disperse torsional stress and reduce wear of the screwdriver bit

**ACR Tip**
Anti cam-out rib system reduces stripping and damage to the screw

**Shank**
1/4" hex for use in impact drivers and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Application**
DIY
Trade
Industrial Application
Automotive
Electrical
Plumbing
Carpentry
Plastering
General Contracting
Woodworking
Metalworking
Machine Shop
MRO

**Discount Group: Z0702**

| Size | Length | Pieces | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|---|
| **Phillips® 1/4" Insert** | | | | **S107** | | **S106** |
| **PH1** | 25 | | S107 0125 | 9311963441337 | S106 0125 | 9311963441306 |
| **PH2** | 25 | | S107 0225 | 9311963441344 | S106 0225 | 9311963441313 |
| **PH3** | 25 | | S107 0325 | 9311963441351 | S106 0325 | 9311963441320 |
| **Phillips® 1/4" Power – With Torsion Body** | | | | | | |
| **PH1** | 50 | | S107 0150 | 9311963441399 | S106 0150 | 9311963441368 |
| **PH2** | 50 | | S107 0250 | 9311963441405 | S106 0250 | 9311963441375 |
| **PH3** | 50 | | S107 0350 | 9311963441412 | S106 0350 | 9311963441382 |
| | | | | | | **S150** |
| **PH2** | 50 | 2 | | | S150 0250 | 9311963608525 |
| **PH2** | 100 | 2 | | | S150 02100 | 9311963608587 |
| **PH2** | 152 | 2 | | | S150 02152 | 9311963608617 |
| | | | | | | **S151** |
| **PH2** | 50 | 5 | | | S151 0250 | 9311963608532 |
| **PH2** | 100 | 5 | | | S151 02100 | 9311963608594 |
| **PH2** | 152 | 5 | | | S151 02152 | 9311963608624 |
| **Double Ended - With Torsion Body**** | | | | | | **S108** |
| **PH2** | 50 | 1 | | | S108 2050 | 9311963599922 |
| **PH2** | 75 | 1 | | | S108 2070 | 9311963599939 |
| **PH2** | 100 | 1 | | | S108 2100 | 9311963599946 |
| **PH2** | 50 | 6 | | | S108 20506 | 9311963600000 |
| **PH2** | 75 | 6 | | | S108 20706 | 9311963600017 |
| **PH2** | 100 | 6 | | | S108 21006 | 9311963600024 |

****Suits Bosch, Dewalt, Hitachi & Makita impact drivers. Item does not have ACR Tip**

IMPACT MAGNETIC 3X TORQUE

# suttontools

SUPABIT EXTREME IMPACT

This system is very popular in machine tools and driving deck screws.
The vertically sloping side walls of a HEX recess screw head prevent the cam-out recess effect.

**Shank**
1/4" hex for use in impact drivers and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Recess Design**
Provides better mating with the driver, greater driving surface and minimal metal "fall away"

**Application (Hex)**
- DIY
- Trade
- Automotive
- Furniture
- Carpentry
- General Contracting
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Pieces | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|---|
| **Metric 1/4" Insert** | | | | **S115** | | **S114** |
| **4mm** | 25 | | S115 0425 | 9311963041834 | | |
| **5mm** | 25 | | S115 0525 | 9311963041841 | S114 0525 | 9311963352282 |
| **6mm** | 25 | | S115 0625 | 9311963041858 | | |
| **8mm** | 25 | | S115 0825 | 9311963041865 | | |
| | | | | | | |
| **1/4" Power – With Full Rounded Body** | | | | | | |
| **5mm** | 50 | | S115 0550 | 9311963049441 | S114 0550 | 9311963439129 |
| **5mm** | 75 | | S115 0575 | 9311963439105 | S114 0575 | 9311963439136 |
| **5mm** | 100 | | S115 05100 | 9311963439112 | S114 05100 | 9311963439143 |
| | | | | | | **S146** |
| **5mm** | 50 | 2 | | | S146 0550 | 9311963608334 |
| **5mm** | 152 | 2 | | | S146 05152 | 9311963608402 |
| **6mm** | 65 | 2 | | | S146 0665 | 9311963609164 |
| | | | | | | **S147** |
| **5mm** | 50 | 5 | | | S147 0550 | 9311963608341 |
| **5mm** | 152 | 5 | | | S147 05152 | 9311963608419 |

IMPACT MAGNETIC 3X TORQUE

**suttontools** SUPABIT EXTREME IMPACT

This system is very popular especially for wooden boat building, mobile homes, recreation vehicles and other specialty uses. Also known as a Robertson® bit.

**Square Recess Tip**
Specialised tip design for a number of applications

**Full Hex Body**
Provides extra strength and durability

**Shank**
1/4" hex for use in impact drivers and quick change adapters

**Insert**
1/4" hex for use in bit holders and hand drivers

**Application**
- Appliances
- Cabinet Making
- Decking
- Trade
- Carpentry
- Plastering
- Woodworking
- HVAC

**Discount Group: Z0702**

| Size | | Length | Pieces | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|---|---|
| **1/4" Insert** | | | | | **S119** | | **S118** |
| **R1*** | | 25 | | S119 0125 | 9311963039770 | S118 0125 | 9311963024691 |
| **R2*** | | 25 | | S119 0225 | 9311963039787 | S118 0225 | 9311963024707 |
| **R3*** | | 25 | | S119 0325 | 9311963039794 | S118 0325 | 9311963024721 |
| | | | | | | | |
| **1/4" Power – With Full Hex Body** | | | | | | | |
| **R1** | | 50 | | S119 0150 | 9311963039800 | S118 0150 | 9311963024738 |
| **R1** | | 90 | | S119 0190 | 9311963049465 | | |
| **R1** | | 150 | | S119 01150 | 9311963049489 | | |
| | | | | | | | |
| **R2** | | 50 | | S119 0250 | 9311963039817 | S118 0250 | 9311963024745 |
| **R2** | | 75 | | S119 0275 | 9311963039862 | | |
| **R2** | | 90 | | S119 0290 | 9311963049472 | S118 0290 | 9311963024769 |
| **R2** | | 150 | | S119 02150 | 9311963049649 | S118 02150 | 9311963024776 |
| | | | | | | | |
| **R3** | | 50 | | S119 0350 | 9311963039824 | S118 0350 | 9311963024752 |
| | | | | | | | **S148** |
| **R2** | | 50 | 2 | | | S148 0250 | 9311963608426 |
| **R2** | | 152 | 2 | | | S148 02152 | 9311963608501 |
| | | | | | | | **S149** |
| **R2** | | 50 | 5 | | | S149 0250 | 9311963608433 |
| **R2** | | 152 | 5 | | | S149 02152 | 9311963608518 |
| **Double Ended** | | | | | | | **S119** |
| **R2** | **R2** | 75 | 6 | | | S119 1275 | 9311963570365 |
| **R3** | **R3** | 75 | 6 | | | S119 1375 | 9311963570372 |

*** Carded pack contains 2 bits.**

# Screwdriver Bits Supabit, Torx®

NEW

IMPACT MAGNETIC TORSION

**suttontools** SUPABIT EXTREME IMPACT

Sutton Tools Torx® Supabit screwdriver bits are specifically designed to withstand high torque applications. The elastic property of these bits deliver professional performance that stands up to rigorous use. Provides a greater depth of engagement between the driver and the fastener.

**Torsion Neck**
For high torque applications

**3X Torque**
Tested to exceed DIN standards by up to 330%

**1/4" Hex Shank**
For use in impact drivers and quick change adaptors

**Application (Hex)**
- DIY
- Trade
- Automotive
- Furniture
- Carpentry
- General Contracting
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Pieces | Item # | Barcode |
|---|---|---|---|---|
| **2 Pce Set** | | | | **S153** |
| T10 | 50 | 2 | S153 1050 | 9311963615066 |
| T20 | 50 | 2 | S153 2050 | 9311963615073 |
| T25 | 50 | 2 | S153 2550 | 9311963615080 |
| T40 | 50 | 2 | S153 4050 | 9311963615172 |
| | | | | |
| **5 Pce Set** | | | | **S154** |
| T10 | 50 | 5 | S154 1050 | 9311963615097 |
| T20 | 50 | 5 | S154 2050 | 9311963615103 |
| T25 | 50 | 5 | S154 2550 | 9311963615110 |

# Screwdriver Bits Supabit, Magnetic Nutsetter

IMPACT MAGNETIC 3X TORQUE

suttontools SUPABIT EXTREME IMPACT

Nutsetters are used predominantly in the roofing industry to drive hex head screws.

**Opening**
Available for both metric and imperial sizes

**Shank**
1/4" hex for use in impact drives and quick change adapters

**High Performance Materials**
Delivers professional performance that stands up to rigorous use

**Application**
- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Bulk (Order Qty – 10) Item # | Bulk (Order Qty – 10) Barcode | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|---|---|
| **1/4" Power Imperial** | | | **S133** | | **S132** |
| **1/4** | 45 | S133 0645 | 9311963039893 | S132 0645 | 9311963074160 |
| **1/4** | 65 | S133 0665 | 9311963042015 | S132 0665 | 9311963074191 |
| **1/4** | 150 | | | S132 06150 | 9311963518565 |
| **5/16** | 45 | S133 0845 | 9311963039909 | S132 0845 | 9311963074177 |
| **5/16** | 65 | S133 0865 | 9311963042022 | S132 0865 | 9311963074207 |
| **5/16** | 150 | | | S132 08150 | 9311963518572 |
| **3/8** | 50 | S133 0950 | 9311963041797 | S132 0950 | 9311963074184 |
| **3/8** | 65 | S133 0965 | 9311963043401 | S132 0965 | 9311963074214 |
| **3/8** | 150 | | | S132 09150 | 9311963518589 |
| **1/4" Power Metric** | | | **S135** | | |
| **8** | 45 | S135 0845 | 9311963051055 | | |
| **10** | 50 | S135 1050 | 9311963051062 | | |

# Screwdriver Bits Supabit, Torsion Nutsetter

HEAVY DUTY SPRING LOADED TORSION

suttontools SUPABIT EXTREME IMPACT

Magnetic Nutsetters are used to drive hex head nuts and screws in a wide variety of applications. Supabits withstand high torque applications. The elastic property of these bits deliver professional performance.

**Torsion Neck**
Torsion neck zone for high torque applications

**Heavy Duty**
Self-adjusting spring loaded magnet for heavy duty grip

**Shank**
1/4" hex for use in impact drivers and quick change adaptors

**Discount Group: Z0702**

| Size | Length | Carded (Order Qty – 1) Item # | Carded (Order Qty – 1) Barcode |
|---|---|---|---|
| | | | **S152** |
| **1/4** | 65 | S152 0665 | 9311963611181 |
| **5/16** | 65 | S152 0865 | 9311963611198 |
| **3/8** | 65 | S152 0965 | 9311963611204 |

## suttontools

SUPABIT EXTREME IMPACT

IMPACT

MAGNETIC

S142 0012

## suttontools

MAGNETIC

3X TORQUE

S138 0102

S138 0245

S138 0150

S138 0250

S138 0017

S138 0265

S138 0007

S138 0008

## FROST

92290

92210

92211

IMPACT MAGNETIC

suttontools SUPABIT EXTREME IMPACT

Discount Group: Z0702

| Size | Pieces | Case | Order Qty | Item # | Barcode |
|---|---|---|---|---|---|
| | | | | | S142 |
| **Impact Screwdriver Set**<br>Pivoting bit holder (15°)<br>50mm bits: PH1, PH2, PH3, R2, Hex 5mm<br>Double ended: PH2x50mm, PH2x75mm, PH2x100mm<br>Nutsetters: 1/4, 5/16 & 3/8 | 12 | Plastic | 1 | S142 0012 | 9311963600314 |

suttontools

MAGNETIC 3X TORQUE

Popular configuration to suit a variety of applications.
Steel Grade S2 59-62 HRC

Discount Group: Z0702

S138 0017

| Size | Length | Pieces | Case | Order Qty | Item # | Barcode |
|---|---|---|---|---|---|---|
| | | | | | | S138 |
| **Screwdriver Phillips Insert** | | | | | | |
| **PH1 & PH2** | 25 | 20 | Plastic | 1 | S138 0102 | 9311963439068 |
| **Screwdriver Phillips Power Round Body** | | | | | | |
| **PH1** | 50 | 10 | Plastic | 1 | S138 0150 | 9311963439020 |
| **PH2** | 50 | 10 | Plastic | 1 | S138 0250 | 9311963439037 |
| **Screwdriver Phillips Power Double Ended** | | | | | | |
| **PH2** | 45 | 10 | Plastic | 1 | S138 0245 | 9311963439044 |
| **PH2** | 65 | 10 | Plastic | 1 | S138 0265 | 9311963439051 |
| **Screwdriver Bit Insert Assorted Set**<br>Slotted:4mm, 5mm, 6mm, 7mm<br>Phillips: PH1, PH2, PH3<br>Pozidriv: PZ1, PZ2, PZ3<br>Torx: T10, T15, T20, T25, T30, T40<br>Magnetic Bit Holder 1/4" | 60 | 17 | Plastic | 1 | S138 0017 | 9311963439075 |
| **Dial Selector Set**<br>Phillips: PH1, PH2<br>Slotted: 4.5mm, 7.0mm<br>Pozidriv: PZ1, PZ2<br>Magnetic Bit Holder 1/4" | 25 | 7 | Plastic | 12 | S138 0007 | 9311963570525 |
| **Belt Clip Set**<br>Phillips: PH0, PH1, PH2, PH3<br>Slotted: 4mm, 5mm, 6mm<br>Offset Screwdriver wrench | 25 | 8 | Plastic | 10 | S138 0008 | 9311963570532 |

FROST

Discount Group: A1202

| Size | Length | Pieces | Case | Order Qty | Item # | Barcode |
|---|---|---|---|---|---|---|
| **Screwdriver Bit Set - DIY** | | | | | | |
| Screwdriver: #2 & #3 Phillips<br>Pozi: #2 & #3<br>Slotted: 5 & 7mm<br>Magnetic holder: x 1 | | 7 | Plastic | 1 | 92290 | 9312621922908 |
| **Bits Screwdriver PH#2 (Discount group Z0702)** | | | | | | |
| **PH2** | 25 | | | | 92210 | 9312621922106 |
| **PH2** | 50 | | | | 92211 | 9312621922113 |

# Screwdriver Bits Dry Wall Extension

MAGNETIC

suttontools

Suitable for dry-wall installation. The extra strong magnet firmly holds screw in place.

**Rare Earth Magnet**
Extra-strong magnet firmly holds screw

**Shank**
Suits all 1/4" shank insert bits

**Fast Change**
One touch ejection of screwdriver bit

**Application**
- DIY
- Trade
- Automotive
- Electrical
- Plumbing
- Carpentry
- General Contracting
- Woodworking
- Metalworking
- Machine Shop
- MRO

**Discount Group: Z0702**

| Size | Length | Order Qty | Item # | Barcode |
|---|---|---|---|---|
| **Dry Wall Magnetic Extension Bars** | | | | **S131** |
| **1/4** | 150 | 1 | S131 06150 | 9311963600291 |
| **1/4** | 300 | 1 | S131 06300 | 9311963600307 |

# Screwdriver Bits Magnetic Screw Guide

MAGNETIC

suttontools

Designed to hold extra long fasteners in place.

**Rare Earth Magnet**
4 times stronger than standard magnets firmly holds screw

**Retracting Sleeve**
The guide sleeve retracts as the fastener is driven into the work piece

**Shank**
1/4" hex for use in power tools and quick change adapters

**Discount Group: Z0702**

| Size | O/A Length | Length* | Carded (Order Qty – 1) Item # | Barcode |
|---|---|---|---|---|
| **1/4" Power Drive with Retracting Sleeve** | | | | **S130** |
| **1/4** | 120 | 80 | S130 80120 | 9311963439082 |
| **1/4** | 200 | 120 | S130 120200 | 9311963439099 |

***Length when retracted**

BONDHUS®

Proudly Distributed by:
suttontools
world class cutting tools

# Bondhus Professional Quality Tools Provide Superior Value

Time is money, and the real cost of using an inferior tool is realized when something goes wrong. As anyone who works with mechanical devices knows, bad things occasionally happen.

Stripped screw heads are one of those bad things that can happen. A screw with a stripped head can no longer be removed with a screwdriver. If it is in a difficult to reach location, where a clamping device cannot grip it, the task becomes particularly difficult.

The cost of a high quality screwdriver is negligible compared to the cost of removing a stripped screw. Will it take a few hours? What is the real cost of an inexpensive, poor performing screwdriver?

100% MADE IN GERMANY

Bondhus quality screwdrivers are made from the finest steels and plastics in our German manufacturing plant, where screwdrivers have been produced for more than 50 years. The purpose of a high quality screwdriver is to provide a faster, easier, less costly means of performing a task. Bondhus strives to provide not just "good" tools, but the strongest tools available anywhere. Customer satisfaction is what we strive for every day.

BONDHUS
LIFETIME WARRANTY
If any Bondhus® tool breaks or fails to meet your expectations in any way, simply return it. We will replace it free of charge.

Bondhus manufactures the highest quality screwdrivers available, and every tool is backed by an unconditional lifetime warranty.

**"All Bondhus products are guaranteed for life. If you are not satisfied with a Bondhus tool for any reason simply return it. A replacement will be shipped right out at no cost, no hassles, no questions asked."**

A warranty is only as good as the company standing behind it. Bondhus has been the leading innovator in the hand tool industry for over 50 years.

### Series 2000 - ComfortGrip™ Screwdrivers

Features outstanding comfort and grip in a 2-component ergonomic design. The hex shaped handle design provides the best possible contact between the handle and the users hand, while delivering outstanding comfort and torque.

### Series 2000 VDE Insulated - ComfortGrip™ Screwdrivers

Rated for use to 1,000V, tested at 10,000V and with all the benefits from Series 2000 Range of Screwdrivers. The professional choice for electricians.

1000 V

To bear the **VDE (Verband der Elektrotechnik)** Certification Mark, tools are put through very rigorous testing to ensure that the quality, construction, safety and even ergonomics meet with protective requirements of the applicable EC Directive.

### Series 4000 - PrecisionGrip™ Screwdrivers

Manufactured to the exacting standards required by applications where precision is critical. The ergonomic handle shape allows for either full-hand or finger tip control with reduced effort.

# **Screwdrivers** Series 2000 ComfortGrip™ Phillips

NEW

BONDHUS

100% MADE IN GERMANY

Chrome-vanadium-molybdenum blades for hardness and high torque applications
Chrome-plated for corrosion resistance
Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **PH0** | 3.5 | 60 | 100 | 26 | 12082 | 4016758120828 |
| **PH1** | 5.0 | 80 | 105 | 30 | 12083 | 4016758120835 |
| **PH1** | 5.0 | 150 | 105 | 30 | 12084 | 4016758120842 |
| **PH1** | 5.0 | 300 | 105 | 30 | 12086 | 4016758120866 |
| **PH2** | 6.0 | 100 | 110 | 34 | 12087 | 4016758120873 |
| **PH2** | 6.0 | 200 | 110 | 34 | 12088 | 4016758120880 |
| **PH2** | 6.0 | 300 | 110 | 34 | 12089 | 4016758120897 |
| **PH3** | 8.0 | 150 | 115 | 36 | 12090 | 4016758120903 |

# **Screwdrivers** Series 2000 ComfortGrip™ Phillips with Hex Bolster

NEW

BONDHUS

100% MADE IN GERMANY

Chrome-vanadium-molybdenum blades for hardness and high torque applications
Chrome-plated for corrosion resistance
Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **PH1** | 4.5 | 80 | 105 | 30 | 12100 | 4016758121009 |
| **PH2** | 6.0 | 100 | 110 | 34 | 12101 | 4016758121016 |
| **PH3** | 8.0 | 150 | 115 | 36 | 12102 | 4016758121023 |

# **Screwdrivers** Series 2000 ComfortGrip™ Slotted - Electrician Tip

NEW

Chrome-vanadium-molybdenum blades for hardness and high torque applications

Chrome-plated for corrosion resistance

Precision tip fits screw head exactly




**Discount Group: Z1502**

| Size | Slot Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|---|
| **SL3** | 0.5 | 3.0 | 75 | 100 | 26 | 12005 | 4016758120057 |
| **SL3.5** | 0.6 | 3.5 | 100 | 100 | 26 | 12007 | 4016758120071 |
| **SL4** | 0.8 | 4.0 | 100 | 105 | 30 | 12008 | 4016758120088 |
| **SL5** | 1.0 | 5.0 | 200 | 105 | 30 | 12013 | 4016758120132 |
| **SL5.5** | 1.0 | 5.5 | 150 | 110 | 34 | 12014 | 4016758120149 |

# **Screwdrivers** Series 2000 ComfortGrip™ Slotted - Engineer's Tip

NEW

Chrome-vanadium-molybdenum blades for hardness and high torque applications

Chrome-plated for corrosion resistance

Precision tip fits screw head exactly




**Discount Group: Z1502**

| Size | Slot Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|---|
| **SL5** | 1.0 | 5.0 | 75 | 105 | 30 | 12031 | 4016758120316 |
| **SL5.5** | 1.0 | 5.0 | 125 | 105 | 30 | 12032 | 4016758120323 |
| **SL6.5** | 1.2 | 6.0 | 150 | 110 | 34 | 12037 | 4016758120378 |
| **SL8** | 1.6 | 7.0 | 175 | 115 | 36 | 12041 | 4016758120415 |
| **SL10** | 1.6 | 8.0 | 200 | 115 | 36 | 12044 | 4016758120446 |

# **Screwdrivers** Series 2000 ComfortGrip™ Torx®

NEW

Chrome-vanadium-molybdenum blades for hardness and high torque applications
Chrome-plated for corrosion resistance
Precision tip fits screw head exactly




Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **T10** | 4.0 | 80 | 100 | 26 | 12147 | 4016758121474 |
| **T15** | 4.0 | 80 | 100 | 26 | 12148 | 4016758121481 |
| **T25** | 5.0 | 100 | 105 | 30 | 12150 | 4016758121504 |

# **Screwdrivers** Series 2000 ComfortGrip™ Square

NEW

Chrome-vanadium-molybdenum blades for hardness and high torque applications
Chrome-plated for corrosion resistance
Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **R2** | 5.0 | 125 | 110 | 34 | 12201 | 4016758122013 |

# **Screwdrivers** Series 2000 ComfortGrip™ Flexible Shaft Nutdriver

NEW

Chrome-vanadium blades for hardness and high torque applications

Chrome-plated for corrosion resistance with black flex-tube to get into hard-to-reach places




Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **7.0** | 11.0 | 150 | 100 | 34 | 12212 | 4016758122129 |

# **Screwdrivers** Series 2000 ComfortGrip™ Stubby

NEW

Chrome-vanadium-molybdenum blades for hardness and high torque applications

Chrome-plated for corrosion resistance

Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **PH1** | 5.0 | 30 | 50 | 30 | 12285 | 4016758122853 |
| **PH2** | 5.0 | 30 | 50 | 30 | 12286 | 4016758122860 |
| **SL5** | 5.0 | 30 | 50 | 30 | 12289 | 4016758122891 |

## **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Phillips

NEW

1000 V

Rated for use to 1,000V, tested at 10,000V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

**Printed Blade Tip Symbol**
For easy selection




**Discount Group: Z1502**

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **PH0** | 3.5 | 60 | 100 | 26 | 12420 | 4016758124208 |
| **PH1** | 5.0 | 80 | 105 | 30 | 12421 | 4016758124215 |
| **PH2** | 6.0 | 100 | 110 | 34 | 12422 | 4016758124222 |
| **PH3** | 8.0 | 150 | 115 | 36 | 12423 | 4016758124239 |

## **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Slotted

NEW

1000 V

Rated for use to 1,000V, tested at 10,000V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

**Printed Blade Tip Symbol**
For easy selection




**Discount Group: Z1502**

| Size | Slot Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|---|
| **SL3** | 0.5 | 3.0 | 100 | 100 | 26 | 12401 | 4016758124017 |
| **SL3.5** | 0.6 | 3.5 | 100 | 100 | 26 | 12402 | 4016758124024 |
| **SL4.5** | 0.8 | 4.5 | 125 | 105 | 30 | 12404 | 4016758124048 |
| **SL6** | 1.0 | 6.0 | 150 | 110 | 34 | 12406 | 4016758124062 |
| **SL8** | 1.6 | 8.0 | 175 | 115 | 36 | 12408 | 4016758124086 |

# **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Pozidriv

NEW

1000 V

Rated for use to 1,000V, tested at 10,000V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

**Printed Blade Tip Symbol**
For easy selection




**Discount Group: Z1502**

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **PZ0** | 3.5 | 60 | 100 | 26 | 12430 | 4016758124307 |
| **PZ1** | 5.0 | 80 | 105 | 30 | 12431 | 4016758124314 |
| **PZ2** | 6.0 | 100 | 110 | 34 | 12432 | 4016758124321 |
| **PZ3** | 8.0 | 150 | 115 | 36 | 12433 | 4016758124338 |

# **Screwdrivers** Series 2000 VDE Insulated ComfortGrip™ Terminal

NEW

1000 V

Rated for use to 1,000V, tested at 10,000V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

**Printed Blade Tip Symbol**
For easy selection




**Discount Group: Z1502**

| Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|
| **+/-Z1** | 5.0 | 80 | 105 | 30 | 12440 | 4016758124406 |
| **+/-Z2** | 6.0 | 100 | 110 | 34 | 12441 | 4016758124413 |

## **Screwdrivers** Series 2000 VDE Insulated Voltage Tester

Rated for use to 120–250V, full working range is 90–500V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Slot Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|---|
| **SL3** | 0.5 | 3.0 | 60 | 78 | 14 | 12450 | 4016758124505 |
| **SL3.5** | 0.6 | 3.5 | 100 | 98 | 20 | 12451 | 4016758124512 |

## **Screwdrivers** Series 2000 VDE Insulated Voltage Tester

Rated for use to 120–250V, full working range is 90–500V
Chrome-vanadium-molybdenum blades for hardness and high torque applications
Precision tip fits screw head exactly

Discount Group: Z1502

| Size | Slot Size | Diameter | Blade Length | Grip Length | Grip Width | Item # | Barcode |
|---|---|---|---|---|---|---|---|
| **SL3** | 0.5 | 3.0 | 60 | 90 | 20 | 12454 | 4016758124543 |
| **SL3.5** | 0.6 | 3.5 | 100 | 90 | 20 | 12455 | 4016758124550 |

## **Screwdrivers Sets** Series 2000 ComfortGrip™

**Discount Group: Z1502**

| Contents | Item # | Barcode |
|---|---|---|
| **5Pce Set: Phillips** PH1 × 80, PH2 × 100, **Slotted** SL4 × 100, SL5.5 × 125, SL6.5 × 150 | 02300 | 4016758023006 |
| **5Pce Set: Phillips** PH1 × 80, PH2 × 100, **Slotted** SL4.5 × 125, SL5.5 × 125, SL7 × 125 | 02305 | 4016758023051 |
| **6Pce Set: Phillips** PH1 × 80, PH2 × 100, **Slotted** SL3.5 × 100, SL4 × 100, SL5.5 × 125, SL6.5 × 150 | 02310 | 4016758023105 |
| **3Pce Set: Phillips** PH2 × 100, **Slotted** SL5.5 × 125, SL6.5 × 150 | 02320 | 4016758023204 |
| **3Pce Set: Phillips** PH0 × 60, PH1 × 80, PH2 × 100 | 02325 | 4016758023259 |
| **7Pce Set: Torx** T6 × 80, T8 × 80, T10 × 80, T15 × 80, T20 × 100, T25 × 100, T30 × 125 | 02330 | 4016758023303 |
| **3Pce Set: Torx** T10 × 80, T15 × 80, T20 × 100 | 02335 | 4016758023358 |

## **Screwdrivers Sets** Series 2000 VDE Insulated ComfortGrip™

1000 V

**Discount Group: Z1502**

| Contents | Item # | Barcode |
|---|---|---|
| **6Pce Set: Phillips** PH1 × 80, PH2 × 100, **Slotted** SL2.5 × 75, SL4 × 100, SL5.5 × 125, SL6.5 × 150 | 02500 | 4016758025000 |
| **6Pce Set: Phillips** PH1 × 80, PH2 × 100, **Slotted** SL2.5 × 75, SL4 × 100, SL5.5 × 125, Voltage Tester | 02505 | 4016758025055 |
| **7Pce Set: Phillips** PH1 × 80, PH2 × 100, **Pozidriv** PZ1 × 80, PZ2 × 100, **Slotted** SL2.5 × 75, SL4 × 100, SL5.5 × 125 | 02515 | 4016758025154 |
| **3Pce Set: Phillips** PH1 × 80, **Slotted** SL2.5 × 75, SL4 × 100 | 02520 | 4016758025208 |

# **Screwdrivers Sets** Series 4000 PrecisionGrip™

Discount Group: Z1502

| Contents | Item # | Barcode |
|---|---|---|
| **6Pce Set: Phillips** PH00× 60, PH0 × 60, PH1 × 80, **Slotted** SL1.5 × 60, SL2 × 60, SL3 × 75 | 04370 | 4016758043707 |
| **6Pce Set: Phillips** PH00× 60, PH0 × 60, **Pozidriv** PZ0 × 60, PZ1 × 80, **Slotted** SL1.5 × 60, SL2 × 60 | 04375 | 4016758043752 |
| **6Pce Set: Torx** T3 × 60, T4 × 60, T5 × 60, T6 × 80, T8 × 80, T10 × 80 | 04380 | 4016758043806 |